

Increased Incidence of People who are Exposed to Multiple Cancer-Contributing Parameters Appear to Develop Cancer in Relatively Short Period of Time. Thus, Both Diagnosis and Safe, Effective Treatment should Take Care of Specific, Multiple Contributing Factors to Each Individual Patient. Individualized, Safe, Effective Treatment of Cancer should Include Optimal dose of Vitamin D3 Because of its 10 Unique, Beneficial Effects and Thymus Gland Stimulation which Release Thymosin A₁ with Significant Anti-Cancer Effects, etc

Yoshiaki Omura^{1,2,3,4*}

¹Adjunct Professor of Family and Community Medicine, New York Medical College, USA

²President, International Association of Bi-Digital O-Ring Test Medical Societies, USA

³President and Professor of International College of Acupuncture and Electro-Therapeutics, USA

⁴Former Director of Medical Research, Heart Disease Research Foundation, USA

***Corresponding Author:** Yoshiaki Omura, Adjunct Professor of Family and Community Medicine, New York Medical College and President, International Association of Bi-Digital O-Ring Test Medical Societies and President and Professor of International College of Acupuncture and Electro-Therapeutics and Former Director of Medical Research, Heart Disease Research Foundation, USA.

Received: February 25, 2018; **Published:** May 18, 2018

Keywords: Cancer-Contributing Factors; Cancer-Promoting Factors; Anti-Cancer Treatment; Human Papilloma Virus-Type 16; Toxoplasma Gondii; Optimal Dose of Vitamin D₃; Inhibiting Effects of Vitamin D₃ by Vitamin C; Electromagnetic Field from Cellular Phones; Infectious Aspects of Cancer; Thymus Gland Stimulation; Thymosin A₁; Thymosin B₄

Recently, the author found many cancer patients have Human Papilloma Virus-Type 16 infection (HPV-16) and also found those who have multiple cancer-contributing factors, particularly repeated exposure to strong electromagnetic field (EMF) including cellular phones and exposure to HPV-16 as well as what they wear directly on the skin or attaches such as strong BDOR (-) 12 underwear, metals, rings, what they eat and drink such as strong BDORT (-) 12 white rice as well as extreme deficiency of Vitamin D₃, drinking undesirable unhealthy BDORT (-) 12 waters and soft drinks. In addition, we found coexistence of single-cell parasite Toxoplasma Gondii associated unknown factor is additional contributing factor in the presence of above-described multiple contributing factors. Contrary to general belief that it takes many years before cancer develops, our recent experience with our patients indicate cancer can develop in short period of less than few months and possible coexistent factor can be identified. Suitable multiple contributing factors, including the most important factor which determines the location of the specific, primary cancer is exposure of EMF to specific part of the body by frequently carrying cellular phone close to the body. Cancer developed in very short period of time also seems to be potentially infectious since many of the family members of the cancer patients who has strong HPV - 16 infection, we often find same infection with almost same degree of infection. We found one of the major causes of the HPV - 16 infection is in eating egg yolk since we found many egg yolks infected by HPV-16 virus. Therefore, ideal treatment should not only kill cancer cells or inhibit the cancer activities, but we also have to remove or reduce significant contributing factors such as EMF and HPV - 16 infection. Unfortunately, present practice of cancer treatment in major well-known cancer institute's often do not find effective medication but even with the effective medication they don't seem to examine optimal doses of medicine used for cancer treatment. In addition, in treating the patient, to reduce the patient's symptoms which can be due to side

effects of the treatment, if the patient has high blood pressure, diabetes, pain, difficulty sleeping, losing hair, weakness, and memory loss the patient is given well-known medication. However, without examining potential side effects optimal doses of these supplemental medications, they never examined the drug interaction between many medications which also contributes to the worsening of the patient. In addition to these problems, supplemental drugs often promote growth of cancer. For example, large dose of Vitamin C, which is promoted as effective anti-cancer supplement by Nobel Prize Winner Linus Pauling. Contrary to his claim, which does not have enough supporting data, we are finding Vitamin C is also important but if we take average over 200 mg, they began to inhibit most powerful anti-cancer and anti-inflammation substance effects of optimal dose of Vitamin D₃. Large dose of 500 mg or more of Vitamin C also inhibits not only Vitamin D₃ effects, which is most significant, beneficial effect for the cancer patient, but also inhibits Thymosin α₁, which is natural, very powerful, anti-cancer substance which is released by Thymus gland stimulation while it also stimulates the release of Thymosin β₄, which is well-known, beneficial effect of improving circulatory system. These are very serious problems both physicians and patients are facing.

Our clinical research indicated individually determined optimal dose of Vitamin D₃ has following 10 unique beneficially affects.

1. Marked anti-cancer effects without side effects, with marked decrease in Integrin α₅β₁.
2. Marked decrease in DNA mutation due to decrease in 8 - OH - dG.
3. Marked increase in urinary excretion of viruses, bacteria, fungi, and toxic substances such as asbestos and heavy metals.
4. Marked increase in Acetylcholine in the brain, heart and the rest of the body.

Citation: Yoshiaki Omura. "Increased Incidence of People who are Exposed to Multiple Cancer-Contributing Parameters Appear to Develop Cancer in Relatively Short Period of Time. Thus, Both Diagnosis and Safe, Effective Treatment should Take Care of Specific, Multiple Contributing Factors to Each Individual Patient. Individualized, Safe, Effective Treatment of Cancer should Include Optimal dose of Vitamin D3 Because of its 10 Unique, Beneficial Effects and Thymus Gland Stimulation which Release Thymosin A1 with Significant Anti-Cancer Effects, etc". *Acta Scientific Cancer Biology* 2.4 (2018): 01-02.

- 5. Marked increase in DHEA.
- 6. Marked decrease in β - Amyloid (1 - 42).
- 7. Marked decrease in Cardiac Troponin I.
- 8. Marked increase in Thymosin α_1 which has significant anti-cancer effect and anti-inflammatory effect.
- 9. Marked increase in Thymosin β_4 which has significant improvement in circulatory system.
- 10. Marked anti-allergy effects in some patients.

In the presence of cancer, optimal dose of Vitamin D₃ always increase and at early stage of cancer, it is usually from 600 - 1200 I.U. But when cancers advance it can go up to even 3500 I.U. But in the absences of malignancy optimal dose for average normal person is anywhere between 400 - 600 I.U. and if normal person takes large amount of Vitamin D₃ such as 2000 I.U. can be harmful but if they take over 5000 I.U. it can promote cancer. If cancer activity is inhibited, cancer began to shrink optimal of Vitamins D₃ also reduces. Even cancer marker is reduced, unless cancer began to reduce it size optimal dose of Vitamin D₃ will not reduce.

Also, our recent study indicated that simple 50 - time manual stimulation of the skin of thymes gland representation area at the back of one hand released significant amount of Thymosin α_1 which has a very powerful anti-cancer effect and anti-inflammatory affect. At the same time significant amount of Thymosin β_4 (which has a significant circular improvement also released).

As a non-invasive safe individualized effective and affordable treatment of cancer, we developed combined use of individualized optimal dose of Vitamin D₃ and manual stimulation of thymus grand representation area of the back of the hand [1-11].

Bibliography

1. Omura Y. "Role of Human Papillomavirus type-16 infection for various cancers as well as Alzheimer's disease and Autism, and safe, effective treatment of cancer by the combined use of optimal doses of Vitamin D3, Taurine, and PQQ when they are positively synergetic with additional advantage of significant urinary excretion of HPV-16 Virus and other bacterial and fungal infections". 2nd International Cancer Study and Therapy Conference, Published in Mad ridge Journal of Cancer Study and Research 2.1 (2017): 13.

2. Omura Y. "Newly discovered organ representation areas of various organs of the body on Thymus gland representation area and its clinical application for non-invasive, early diagnosis and safe, effective treatment of cancer and other serious medical problems". *Acupuncture and Electro-Therapeutics Research, The International Journal of Integrated Medicine* 42.2 (2017): 65-96.

3. Omura Y, et al. "Optimal Dose of Vitamin D3400 I.U. for Average Adults has A Significant Anti-Cancer Effect, While Widely Used 2000 I.U. or Higher Promotes Cancer: Marked Reduction of Taurine and 1 α , 25(OH)2D3Was Found in Various Cancer Tissues and Oral Intake of Optimal Dose of Taurine 175mg for Average Adults, Rather Than 500mg, Was Found to Be A New Potentially Safe and More Effective Method of Cancer Treatment". *Acupuncture and Electro-Therapeutics Research, The International Journal of Integrated Medicine* 41.1 (2016): 39-60.

4. Omura Y. "Clinical implications of the HPV-16 infection and 7 beneficial effects of optimal dose of Vitamin D3 in safe, effective cancer treatment: Non-invasive rapid cancer screening using 'Mouth, Hand and Foot Writing Form' of 40 participants during 150-minute workshop on the Bi-Digital O-Ring Test, in the 1st day of European Congress for Integrative Medicine, September 9-11, 2016 in Budapest". *Acupuncture and Electro-Therapeutics Research, The International Journal of Integrated Medicine* 41.3-4 (2016): 171-198.

5. Ducreux M., et al. "Cancer of the pancreas: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up". *Annals of Oncology* 26.5 (2015) 56-68.

6. Wu L and Qu X. "Cancer biomarker detection: recent achievements and challenges". *Chemical Society Reviews* 44.10 (2015) 2963-2997.

7. Omura Y, et al. "Non-Invasive Quick Diagnosis of Cardiovascular Problems from Visible and Invisible Abnormal Changes with Increased Cardiac Troponin I Appearing On Cardiovascular Representation Areas of the Eyebrows, Left Upper Lip, etc. of the Face and Hands: Beneficial Manual Stimulation of Hands for Acute Anginal Chest Pain, and Important Factors in Safe, Effective Treatment". *Acupuncture and Electro-Therapeutics Research, The International Journal of Integrated Medicine* 39.2 (2014): 135-167.

8. Hegyi G., et al. "ONCOTHERMIA: A NEW PARADIGM AND PROMISING METHOD IN CANCER THERAPIES". *Acupuncture and Electro-Therapeutics Research, The International Journal of Integrated Medicine* 38.3-4 (2013): 161-197.

9. Omura Y. "Asbestos: Profound Evidence for Disease Associations (including Cancer, Alzheimer's Disease, Autism, Failing Heart and Varicose Veins) and novel methods of detection and treatment" chapter 41 in *Advancing Medicine with Food and Nutrients, Second Edition*. CRC Press; edited by Ingrid Kohlstadt, Johns Hopkins University (2012): 777-798.

10. Omura Y, et al. "Significant Mercury Deposits in Internal Organs Following the Removal of Dental Amalgam, and Development of Pre-Cancer on the Gingiva and the Sides of the Tongue and Their Represented Organs as a Result of Inadvertent Exposure to Strong Curing Light (Used to Solidify Synthetic Dental Filling Material) and Effective Treatment: A Clinical Case Report, along with Organ Representation Areas for Each Tooth". *Acupuncture and Electro-Therapeutics Research, The International Journal of Integrated Medicine* 21.2 (1996) 133-160.

11. Omura Y. Non-invasive early detection of cancer and individualized safe effective treatment of cancer (about 22-page article) in book *Nutrition and Integrated Medicine, A Primer for Clinicians* edit by Aruna Bakhru, CRC Press (2018).

Volume 2 Issue 4 June 2018
© All rights are reserved by Yoshiaki Omura.