

ACTA SCIENTIFIC VETERINARY SCIENCES (ISSN: 2582-3183)

Volume 3 Issue 12 December 2021

Editorial

Familiarity with Different Types of Goldfish

Mohammad Forouhar Vajargah*

Fisheries Department, Faculty of Natural Resources, University of Guilan, Sowmeh Sara, Iran

*Corresponding Author: Mohammad Forouhar Vajargah, Fisheries Department, Faculty of Natural Resources, University of Guilan, Sowmeh Sara, Iran.

Received: August 05, 2021

Published: November 01, 2021

© All rights are reserved by Mohammad

Forouhar Vajargah.

In recent years, the distribution of goldfish has spread worldwide and is found almost everywhere on the planet and is an ornamental fish. Here is a description of the subspecies of this fish. This fish is a fish that is compatible with all kinds of freshwater peaceful fish and is very hardy and can be kept in groups in aquariums.

Jikins goldfish

This fish is also known as peacock tail. Jikin is from the Wakin family. But it has a much better color variety than vaccines. The storage conditions are not too difficult for her, and the same care that is necessary for other species of goldfish also applies to Jikin. Of course, jeans are more suitable for ponds and pools, but they can also be kept in aquariums. Jikins have white bodies and fins and red tails. This fish is very rare and expensive, even in its country of origin, Japan.

Pearl scale goldfish

Pearl scales are considered a masterpiece in Goldfish. Oval body with beautiful scales in the form of white pearl beads and in more original species have a beautiful crown on the head. It is one of the most popular goldfish. They are more sensitive than other goldfish, but if they mature at the age of two, they reach their peak of beauty.

Fantail goldfish

Umbrella is a very suitable fish for beginners because Umbrella is very hardy. Umbrella fish can be kept in water close to freezing point. This fish is not large and rarely reaches 16 cm. Umbrella tail, like its kind, is very fond of eating its eggs.

Ryukin goldfish

The origin of this fish is Japan, which looks like an umbrella. This fish is slightly aggressive towards weaker species. Therefore, they should be kept with stronger fish or a single species of goldfish. Ryukin usually cannot survive in very cold water. It is also sensitive to goldfish. A feature that distinguishes Ryukin is its dorsal fin.

Goldfish ranch

The ranch is round and curved and has no dorsal wings. This type also has a great variety of colors. This goldfish called Rencho has unique characteristics and a more curved waist that has caused the fish's tail to be pulled down. Rancho is a popular type of goldfish in Japan and bears a striking resemblance to the head goldfish. Compared to the head, the back arch of the ranch is longer and has a shorter tail. But at the same time, both the Goldfish and Rancho Goldfish have an oval body and no dorsal fin. The most important feature of the ranch is the fish head, which is covered with a kind of crown or cap-like appendage. The texture of this appendix is neither soft nor hard and has a raspberry-like appearance. It usually takes a year for a raspberry-like cap to appear on the head of an immature fish. Ranchos are born in different colors and their red, black, white and yellow are more common. The lifespan of this fish is six to ten years and it grows up to about six inches depending on the habitat. Ranch fish are sensitive and vulnerable, so if you have this type of fish in your aquarium, you should make sure that the water temperature is always above 55 degrees Fahrenheit (13 degrees Celsius) or the fish will die.

Bubble eye fish

The bubble eye is a really weird fish. The large, fluid-filled sacs under the eyes of this breed of two-tailed goldfish are distinct and vibrate when swimming. The rest of the body is ovoid and the dorsal surface lacks fins. Its coloration is variable but often metallic orange-yellow. The blisters begin to grow at 6 to 9 months of age and reach their maximum size at two years of age. These waterfilled bubbles become so large that they obstruct the sight of the fish and even interfere with swimming. They break easily and no longer grow or re-form very slowly. They also get infections. This fish has a small dorsal fin and due to its special shape, its dorsal surface is suitable for movement and the bubbles are completely compatible with its size and color. Depending on the location of the fish, the bubbles take on a special structure and can be suitable for the fish or very insignificant.

Comet goldfish

The meteor species was cultivated by the Americans in the eighteenth century. So that most people in the world today, when they hear the name Goldfish, have the ballet model in mind. The high-finned or meteorite goldfish is best for beginners and can be stored both in the aquarium and in the pond because of its strength and endurance. Sometimes the length of the tail is as long as the body of the fish, and this adds to the beauty of the fish. The tail of the fish is completely forked and the corners are perfectly pointed. In the finest adult species, which sometimes reach more than 12 inches in length, the tail is prominent and perfectly raised, which adds to the beauty of the fish. Of course, they do not grow more than 10 inches in the aquarium environment. Meteor goldfish are found in a variety of unique color ranges, such as silver and yellow, and sometimes a combination of different colors. Some of them are even metallic in color and, like ordinary goldfish, are agile and agile swimmers. Meteor goldfish also have good growth and reproduction, so they are usually used commercially and are easily found in all fish shops across the United States and around the world [1-5].

Bibliography

 Forouhar Vajargah M., et al. "Effect of long-term exposure of silver nanoparticles on growth indices, hematological and biochemical parameters and gonad histology of male goldfish (Carassius auratus gibelio)". Microscopy Research and Technique 82.7 (2019): 1224-1230.

- 2. Sattari M., *et al.* "Ichthyology (1): Anatomy and physiology". Naghsh Mehr Publication (2002): 659.
- 3. Tarkhani R., et al. "Negative effect of 17-beta-estradiol on growth parameters of goldfish (Carassius auratus)". Journal of Coastal Life Medicine 3.3 (2015): 183-186.
- Yalsuyi AM., et al. "Examining the toxicity of cadmium chloride in common carp (Cyprinus carpio) and goldfish (Carassius auratus)". Journal of Environmental Treatment Techniques 5.2 (2017): 83-86.
- Yalsuyi AM and Vajargah MF. "Acute toxicity of silver nanoparticles in Roach (Rutilus rutilus) and Goldfish (Carassius auratus)". *Journal of Environmental Treatment Techniques* 5.1 (2017): 1-4.

Volume 3 Issue 12 December 2021

© All rights are reserved by Mohammad Forouhar Vajargah.