



Current Cyanobacteria Metabolites Application in, Agricultures, Medicine and Environment

Tefera Tadesse*

National Agricultural Biotechnology Research Center, Holotta, Ethiopia

***Corresponding Author:** Tefera Tadesse, National Agricultural Biotechnology Research Center, Holotta, Ethiopia.

Received: July 11, 2022

Published: December 21, 2022

© All rights are reserved by **Tefera Tadesse**.

Abstract

Cyanobacteria are considered as one of the important group of organisms having significant ecological, industrial, and biotechnological importance. *Cyanobacteria* have gained a lot of attention in recent years because of their potential applications in biotechnology. This review presents an overview of uses of *Cyanobacteria* in industry agriculture, environment pharmaceutical and medicinal roles and to provide future prospects of the field of *Cyanobacteria* biotechnology.

Nowadays *Cyanobacteria* have gained attention researchers because of their various potential applications such as food and feed pharmaceutical industries in medicine, in bioremediation, soil conditioning, as biopolymers, bio adhesives, bioenergy and biofertilizers. Due to presence of wide spectrum of bioactive compounds *Cyanobacteria* has possesses antiviral, antibacterial, antifungal and anticancer activities. Several strains of *Cyanobacteria* are also rich in food supplements. Further nitrogen fixing and soil conditioning capacity of *Cyanobacteria* attracted researchers. Recent studies have also shown that *Cyanobacteria* have capability to degrade environmental pollutants and are also being used as a promising source of alternative energy. This review is an effort to forward the valuable information about the qualities of *Cyanobacteria* and their potential role in solving the agricultural and environmental problems for the future welfare of the planet. Thus more efforts should be made in search of more potential strains of *Cyanobacteria* to ensure maximum production of the desired products.

Keywords: *Cyanobacteria* Bioremediations; Nitrogen Fixation; Biological Metabolites

Introduction

Cyanobacteria are a group of aquatic organisms officially classified as bacteria, but they display characteristics of algae and bacteria. *Cyanobacteria* produce their own nutrients via photosynthesis. The color of the chlorophyll required for this process produces the coloration that has led to their common name, 'blue green algae [1]. Others explained *Cyanobacteria* as common and natural aquatic organisms present in many surface waters. They are single celled microscopic bacteria and can be found in fresh, salt or brackish waters. Like plants, they use sunlight to make food and energy.

In similar way [2] explained *Cyanobacteria* or blue green algae as prokaryotic microalgae classified as a phylum of eubacteria. The blue green appearance of these bacteria is originated by the two pigments, chlorophyll a (green) and phycocyanin (blue) and which can survive in wide variety of environments. They are photoautotrophic in that they can harvest energy from the light source with their chlorophyll a pigment. Also, they consume CO₂ to produce organic compounds plays a substantial task in the recycling of CO₂ via their photosynthesis, which is similar to photosynthetic plants in oxygen generation. However, some species of *Cyanobacteria* survive under mix trophic and heterotrophic conditions and as consortia with other microorganisms [3].

Using water as an electron donor during photosynthesis resulting in the release of oxygen is another important characteristic of these tiny organisms. Furthermore, Number of findings reported that *Cyanobacteria* have the ability to fix nitrogen. *Cyanobacteria* have been recognized as an opulent source of various bioactive compounds possessing anti bacterial, anti viral, anti fungal and anti cancer activities. They are also contributing positively in bioremediation and sustainable development of ecosystem. In view of the above, the objectives of the current review is to point out overall contribution of *Cyanobacteria* and their potential role in sustainable development of agriculture and ecosystem. This is also an effort to give the valuable information about multifunctional roll of *Cyanobacteria* and their potential role in solving the agricultural and environmental problems for the future welfare of the planet.

Cyanobacteria as food and feed supplement

The global population explosion has resulted in the need to look for alternative sustainable sources of food apart from conventional agricultural products. This has promoted interest in the use of functional foods to meet the nutritional demands of the growing human population.

Micro organisms, especially *Cyanobacteria*, are an untapped resource as their secondary metabolites have nutritional or therapeutic values. Commercial exploitation of *Cyanobacteria* since the establishment of human civilization is owing to its different properties which make it a suitable source of functional foods. According to [4] many characteristics which make *Cyanobacteria* a promising alternative for sustainable food production due to: high nutrient content of *Cyanobacteria*, especially *Spirulina*, which is the most commercialized and cultivated *Cyanobacteria* species. Its worldwide distribution, requirement of small amounts of water for growth including waste water, need for small land (unfertilized and unsuitable for other crops), easily digestible and product stability over a wide pH and temperature range.

According to some statistics findings of [5] 1 kg of *Spirulina* may replace 1000 kg of assorted fruits and vegetables in terms of nutritional value. The use of algae as an additive feed in aquaculture has also received a lot of attention due to the positive effect it has on weight gain. Quality of aqua feed is one of the most important criteria for the success of aquaculture. The popularity of microalgae particularly *Cyanobacteria* as fish feed is increasing rapidly as suitable alternative source in modern aquaculture industry [6].

Research findings from [7] reported that *Cyanobacteria* have been assessed for their nutritional value into fish feed formulation which provides balanced nutrition and improved fish growth. According to [8] the green algal species like *Chlorella* and *Scenedesmus* contains crude protein (40% to 50%), carbohydrate content (25% 60%) and a considerable amount of β carotene beneficial for the growth of fishes, and also use of *Spirulina* possessing protein as high as 40 70% is well documented as fish feed.

There are numerous records of historical usage of *Cyanobacteria* and microalgae in the human diet as it was reported by [9]. *Spirulina* has been consumed by the local population in Chad after drying the biomass used for preparing dishes, such as meat and vegetable broth, and also sold in the local markets [10].

As photosynthetic microorganisms, *Cyanobacteria* harvest light as their energy source through a wide variety of photosynthetic capability that are rich in pigments have been reported to have beneficial health effects, e.g., providing micronutrients and macronutrients, aiding in digestion, etc. Among the most widely used species is the halo tolerant *Spirulina* spp due to high nutritional value and high digestibility and their richness in various nutrients and high protein content with additional health benefits as a source of antioxidants, coenzymes and vitamins [11].

As it was reported by [12], some *Cyanobacteria* like *Nostoc* strains can be eaten directly without performing purification since it contain 60% protein, rich in beta carotene, thiamine, riboflavin vitamin B12 and fibers thus plays an important role in nutritional composition of human diets. Similar findings reported by [13] that *Spirulina*, *Anabaena* and *Nostoc* are commonly used as a food source in different countries such as Mexico, Chile, and the Philippines) due to its popularity as a health and food supplement in the form of powder, tablets or capsules. Consumption of *Cyanobacteria* results in several health benefits and considered traditionally as a "food for fitness". Another type of *Cyanobacteria*, *Arthrospira* platensis with a rich source of β carotene and various biomolecules of nutraceutical value thus regarded as "food for the future" [14]. *Cyanobacteria* produce carotenoids such as canthaxanthin, beta carotene, nostoxanthin, and zeaxanthin as food supplements, animal feed, food additives, and colorant.

In addition to the above important factors *Spirulina* produce carotenoid such as the keto carotenoid, astaxanthin as powerful antioxidant which play a vital role in preventing damage in human cells through photo oxidation [15]. He also reported that Astaxanthin obtained from *Haematococcus pluvialis* contains protease inhibitors that may be used to treat diseases, such as HIV (human immunodeficiency virus). Compounds and extracts with anti HIV activity have been reported but the amount of antiviral activity varies with the compound and extract.

Medicinal effects of Cyanobacteria

The bioactive compounds available in *Cyanobacteria* possess several medicinal benefits as it was suggested by [16] and have some specific applications such as their use in the formation of medicinal drugs.

Other findings by [17] indicated that *Cyanobacteria* have biochemical pathways that produce unique bioactive molecules with potential commercial and medical applications based on their anti fungal, antibiotic, antimicrobial, immunosuppressant, anti inflammatory, anticancer, antiviral, anti bacterial, anti coagulant, anti malarial, anti protozoan, anti tuberculosis, anti tumor and anti HIV (human immunodeficiency virus) and activities due to Cyanovirin N, a carbohydrate binding protein from *Nostoc ellipsosporum* [18].

In human clinical trials, supplementation with several species of *Spirulina* exhibited lipid lowering effects. In patients with diabetic type 2 diabetes its consumption showed significant reduction in ratios of total cholesterol and plasma lipids [19].

Cyanobacteria compounds are found to target tubulin or actin filaments in eukaryotic cells, making them an attractive source of natural products as anti cancer agents due to molecules different types of anti microtubule agents have been in preclinical and/or clinical trials as potential anti cancer drugs [20].

Findings by [21] reported that *Arthrospira* sp produces metabolites such as sulphated polysaccharides, which have anti viral, and anti cancer properties. They also form gamma linolenic acid (GLA) that is useful in the control of cholesterol levels, lowering blood pressure and protecting the cardiovascular system. These properties resulted from the availability of carotenoids, chlorophylls, phycocyanins, various amino acids and minerals [22].

Human skin is one of the most complex body organs that functions as a physical barrier against water loss and environmental stressors including, pathogens, chemicals and physical agents. According to studies conducted by [23] *Cyanobacteria* are rich sources of metabolites, which can be used to fight against skin related problem such as skin aging, fragility, laxity, enlarged pores, dryness, and wrinkles happen to skin texture as a result of chronic exposure to intrinsic and extrinsic destructive factors.

[24] also reported that *Spirulina*, *Nostoc*, *Anabena* and *Oscillatoria* strains are most commonly used in skin care products for various skin conditions by acting as sunscreens, anti wrinkling agents, moisturizer or texture enhancing agents.

Agricultural applications of Cyanobacteria

Nowadays agricultural practices heavily dependent on the application of synthetic fertilizers and pesticides, intensive tillage, and over irrigation, to meet the food requirement; nevertheless the effect on environmental, health, soil fertility, and increased cost of agricultural production.

Similar reports suggested by [25] that sustainable agriculture practices as well as environmental quality besides eco friendly, low cost farming systems with the help of native microorganisms such as *Cyanobacteria* (blue green algae) make the agro ecosystem more resilient, self regulating and also maintain the productivity and profitability [26].

Some *Cyanobacteria* have a capability have to solubilize soil phosphate since phosphorus (P) is the second important nutrient after nitrogen for plants and microorganisms, thus algae are particularly adapted to scavenge their environments for resources through structural changes, storage or increased resource utilization efficiency [27].

Similarly [28] also pointed out that different adaptation methods of algae such as biochemical and physiological adjustments mechanisms enabled them to excrete substances to enhance nutrient availability, excrete extracellular phosphatases upon the onset of P limited conditions, store resources like P in excess of their immediate needs and change the pH of their surroundings, [27] N fixers *Cyanobacteria* increase the N content through nitrogen fixation in natural desert soils and released to

the surrounding environment which make it available to plants or either released to the atmosphere in the form of N₂O, or NO and HONO, which influence ozone and OH reactivity at the atmosphere [29].

Cyanobacteria also influence the availability of P which is the second important nutrient to plants as they have the ability to transform non usable forms of inorganic P to a usable form through biological processes. Soil surface inoculated with different heterocystous and non heterocystous *Cyanobacteria* has been reported to enhance total N, available N, and available P [30]. In the field of agriculture, *Cyanobacteria* have been mainly used as bio fertilizers due to their role as nutrient supplements. Also [31] reported that inoculation of soil with *Cyanobacteria* species such as *Nostoc*, *Calothrix*, *Tolypothrix*, and *Scytonema* have diverse N fixing potential in non water logged soils shown beneficial effects in terms of improvement of quality of soil properties, enhancement in different plant growth such as wheat, maize, and lettuce as natural fertilizers [32].

Cyanobacteria also provide a number of ecological roles that open the range for their application in agricultural systems from dry lands by providing promising extreme resistance to the abiotic stresses such as low rainfall, high radiation levels and long periods of drought.

Cyanobacteria as bio controlling agents

Many research papers demonstrate the mechanisms of fungal and Oomycete growth inhibition by the activity of *Cyanobacteria* extracts. Several extracts from, *Anabaena* spp., *Fischerella* sp., *Nostoc* spp., and *Oscillatoria* spp inhibited *Aspergillus* and mycelial growth due to methanol, acetone, diethyl ether, ethyl acetate, ethanol and methyl chloride extract depending on *Cyanobacteria* [33]. Other results of last investigations also give evidences about the defensive role of *Cyanobacteria* and microalgal secondary metabolites [34].

Cyanobacteria are known to produce metabolites with diverse biological activities such as anti bacterial, anti fungal and anti viral activities. Several reports [35,36] have shown that the extracts of *Nostoc* species significantly inhibited the growth of phytopathogenic fungi because *Cyanobacteria* produce biologically active compounds that have antibiotic and toxic activity

against plant pathogens Other findings by [37] investigated the suppression effect of *Cyanobacteria* species *Nostoc endophyllum* and *Nostoc muscurum* against, the causal agent of soya bean root rot *Rhizoctonia solani* which confirms effect of *Cyanobacteria* in biological control of wilt disease which may help to obtain a higher yield and good health in agriculture.

Cyanobacteria as a bio energy

The rapid growing population of the world continuously increases the global demand for fuel energy. The intensive use of fossil fuels worldwide leads to its depletion and will bring them close to the point of exhaustion due to unsustainable and nonrenewable nature. Thus, bio fuels are now a growing opportunity throughout the world as alternative to fossil fuels. Thus advantageous features of biofuels produced from microalgae biomass are renewability and a significantly smaller contribution to environmental pollution and global warming. The emission of greenhouse gases mainly CO₂ from burning of fossil fuels are the main cause of global warming by releasing 29giga tons/year release of CO₂ [38]. But bio fuels from algal have oxygen levels of 10 45% and very low levels of sulphur emission while petroleum based fuels have no oxygen levels with high sulphur emission.

According to [39] *Cyanobacteria* bio fuels are non polluting, locally available, accessible, sustainable and reliable fuel obtained from renewable sources. In addition to the above points microalgae algae based fuels are eco friendly, nontoxic and with strong potential of fixing global CO₂.

Cyanobacteria as bio remediating agents

Large quantities of synthetic pesticides, inorganic fertilizers and manure and/or bio solids amendments (usually containing pharmaceuticals and antibiotics residues) are regularly applied in agricultural land [40,41]. The translocation and losses of these contaminants usually happen through field runoff and drainage after irrigation or strong storm events leading to potential negative impacts against aquatic ecosystems (including aquifers) and eventually human health.

Microalgae based systems have recently demonstrated to be very efficient in treating different types of wastewater, including domestic and agricultural runoff, removing not only nutrients

such as nitrate, phosphate or ammonium, but also contaminants of emerging concern such as pharmaceuticals, pesticides or UV filters [41].

The following *Cyanobacterial* genera such as *Anabaena*, *Arthrospira*, *Aphanothece*, *Chroococcus*, *Fischerella*, *Lynngbya*, *Limnothrix*, *Nostoc*, *Oscillatoria* and *Phormidium* were involved to remove various nutrients such as NO_3^- , NH_3 , PO_4^{3-} and metals Cd, Co, Cr, Cu, Ni, Pb and Zn from different wastewaters (ground water, domestic and industrial sewage, synthetic, plating industry, urban, swine, agro industrial and animal wastewater [42].

Cyanobacteria also play an important role in the biological treatment of wastewater, called “phyco remediation” by accumulating organic and inorganic toxic substances, as well as radioactive materials, in their cells and self purification of municipal, industrial, and agro industrial wastewater by developing several detoxifying mechanisms, including biosorption, bioaccumulation, biotransformation, bio mineralization, and in situ and/or ex situ biodegradation [43].

The same findings was reported by [44] that *Cyanobacteria* can also be used as bioremediation agents to eliminate toxic wastes from contaminated sites including soil, water, wastewater, and sediments. In addition to the above pointed they degrade or detoxify many gaseous, solid, and liquid recalcitrant pollutants such as assimilate atmospheric nitrogen, remove heavy metals from aquatic ecosystems, and reduce the extra phosphate and nitrate in farmlands. Above all its usage as bioremediation agent was low cost, eco friendly nature, high efficacy, and public acceptance are the major advantages of using *Cyanobacteria* for bioremediation [45].

Cyanobacteria for bio-plastics production

Cyanobacteria, have the potential to produce renewable biopolymers from natural resources such as, solar energy, water and CO_2 , reducing the need for fertile soils, fertilizers, herbicides and potable water for crop production. Among the *Cyanobacteria* species *Arthrospira* (*Spirulina*), *Synechococcus*, and *Synechocystis*, are widely employed in biodegradable polymers such as PHAs production [46].

Conclusions and Future Prospective

Cyanobacteria, known as “blue green algae”, are one of the oldest photosynthetic prokaryotes on planet earth, with the ability to live

and flourish in a diverse range of environments from hot springs to underneath of ice pack in frozen lacks, and under the surfaces of rocks in deserts.

Cyanobacteria, like higher plants, are capable of converting light energy into chemical energy and generate O_2 . Due to interaction with other of microorganisms and their environment, *Cyanobacteria* also produce a wide variety of secondary metabolites applied in feedstock for biofuel production, bioremediation agents to eliminate toxic wastes from contaminated sites including soil, water, wastewater, and sediments, bio fertilizers to improve soil fertility in agriculture, supplement for animal and aqua cultural feed, as well as human nutrition, and also in the pharmaceutical, food, and cosmetic industries. In recent year *Cyanobacteria* have gained importance in various areas of research such as drug discovery, treatment of deadly disease such as HIV and cancer. A *Cyanobacteria* also get attention due to their ability to fix atmospheric nitrogen and degrading pollutants and removing heavy metals by agriculturalist and environmentalist respectively. *Cyanobacteria* like *Spirulina*, *Anabaena* and *Nostoc* also are used to solve problem of food crisis and malnutrition in different contents. Thus the possibility of producing novel biopolymer blends, biofuel components, and pharmaceutical compounds that are capable of meeting the demands of a biotechnologically based society. To achieve these target great strides in the *Cyanobacteria* production sector, a synergistic approach should be adopted by *Cyanobacteria*-related companies so that more fruitful results will come out.

Bibliography

1. “Toxic *Cyanobacteria* in Water A guide to their public health consequences, monitoring and management”. World Health Organization (1999).
2. Castenholz R., *et al.* “Subsection III. Formerly Oscillatoriales Elenkin”. In: Bergey’s Manual of Systematic Bacteriology, 2nd edition (Garrity, G., editor), 539-562. (2001)
3. Subashchandrabose SR., *et al.* “Mixotrophic *Cyanobacteria* and microalgae as distinctive biological agents for organic pollutant degradation”. *Environment International* (2013).
4. Dixit RB and Suseela MR. “*Cyanobacteria*: potential candidates for drug discovery”. *Antonie Van Leeuwenhoek* 103 (2013): 947-961.
5. Singh, S., *et al.* “Bioactive compounds from *Cyanobacteria* and microalgae: an overview”. *Critical Reviews in Biotechnology* 25 (2005): 73-95.

6. Becker EW. "Microalgae as a source of protein". *Biotechnology Advances* 25 (2007): 207-210.
7. Sirakov I., et al. "The importance of microalgae for aquaculture". *International Journal of Fisheries and Aquatic Studies* 2.4 (2015): 81-84.
8. Tartiel MM., et al. "Partial replacement of fishmeal with dried microalga (*Chlorella* sp and *Scenedesmus* sp.) in Nile Tilapia *Oreochromis mossambicus* diets". 8th International Symposium on Tilapia in Aquaculture. Central Laboratory for Aquaculture Research, Agricultural Research Center, Ministry of Agriculture, Egypt (2008): 801-811.
9. Tomaselli L., et al. "On the correct use of the Spirulina designation". *Algological Studies* 83 (1996): 539-548.
10. Abdulqader G., et al. "Harvest of *Arthrospira platensis* from Lake Kossorom (Chad) and its household usage among the Kanembu". *Journal of Applied Phycology* 12 (2000): 493-498.
11. Krishnaraj RN., et al. "Antioxidant property of fresh and marine water *Cyanobacterial* extracts in Swiss mice". *Journal of Biopesticides* 5 (2012): 250-254.
12. Devillers J., et al. "Prediction of biological activity profiles of *Cyanobacterial* secondary metabolites". *SAR and QSAR in Environmental Research* 18 (2007): 629-643.
13. Abed RM., et al. "Applications of *Cyanobacteria* in biotechnology". *Journal of Applied Microbiology* 106 (2009): 1-12.
14. Mohan A., et al. "*Spirulina*, the nature's wonder: A review". *Lipids* 5 (20134): 7-10.
15. Singh R., et al. "Uncovering potential applications of *Cyanobacteria* and algal metabolites in biology, agriculture and medicine: Current status and future prospects". *Frontiers in Microbiology* 8 (2017): 1-37.
16. Romay C., et al. "C phycocyanin: A biliprotein with antioxidant, anti inflammatory and neuroprotective effects". *Current Protein and Peptide Science* 4 (2003): 207-216.
17. Dewi I C., et al. "Anticancer, Antiviral, Antibacterial, and Antifungal Properties in Microalgae". *Microalgae in Health and Disease Prevention* (2018): 235-260.
18. Luesch H., et al. "Isolation of dolastatin 10 from the marine cyanobacterium *Symploca* species VP642 and total stereochemistry and biological evaluation of its analogue symplostatin 1". *Journal of Natural Products* 64 (2001): 907-910.
19. Lee EH., et al. "A randomized study to establish the effects of Spirulina in type 2 diabetes mellitus patients". *Nutrition Research and Practice* 2 (2008): 295-300.
20. Gerwick L T Tan and N Sitachitta. "Nitrogen containing metabolites from marine *Cyanobacteria*". in *The Alkaloids: Chemistry and Biology* 57 (2001): 75-184.
21. Sydney EB., et al. "Potential carbon dioxide fixation by industrially important microalgae". *Bioresource Technology* 101 (2010): 5892-5896.
22. Furmaniak MA., et al. "Edible *Cyanobacterial* genus *Arthrospira*: Actual state of the art in cultivation methods, genetics, and application in medicine". *Frontiers in Microbiology* 8 (2017): 1-21.
23. Ariede MB., et al. "Cosmetic attributes of algae A review". *Algal Research* 25 (2017): 483-487.
24. Derikvand P., et al. "*Cyanobacterial* metabolites as a source of sunscreens and moisturizers: A comparison with current synthetic compounds European". *Journal of Phycology* 52.1 (2017): 43-56.
25. Singh J S and Strong P J. "Biologically derived fertilizer: a multifaceted bio tool in methane mitigation". *Ecotoxicology and Environmental Safety* 124 (2016): 267-276.
26. Mason J. "Sustainable Agriculture". 2nd Edn. Collingwood, VIC: Landlinks Pre (2003).
27. Singh NK and Dhar DW. "Nitrogen and phosphorous scavenging potential in microalgae". *Indian Journal of Biotechnology* 6 (2007): 52-56.
28. Healy FP. "Characteristics of phosphorus deficiency in *Anabaena*". *Journal of Phycology* 9 (1973): 383-394.
29. Weber B., et al. "Biological soil crusts accelerate the nitrogen cycle through large NO and HONO emissions in drylands". *Proceedings of the National Academy of Sciences* 112.50 (2015): 15384.
30. Wu Y., et al. "Development of artificially induced biological soil crusts in fields and their effects on top soil". *Plant Soil* 370 (2013): 115-124.
31. Thajuddin N and Subramanian G. "*Cyanobacterial* biodiversity and potential applications in biotechnology". *Current Science* 89.1 (2005): 47-57.
32. Sharma R., et al. "Role of algae and *Cyanobacteria* in sustainable agriculture system". *Wudpecker Journal of Agricultural Research* 1 (2012): 381-388.

33. Marrez DA., *et al.* "Antifungal activity of the cyanobacterium *Microcystis aeruginosa* against mycotoxigenic fungi". *Journal of Applied Pharmaceutical Science* 6 (2016): 1911-198.
34. Pandey VD. "Cyanobacterial natural products as antimicrobial agents". *International Journal of Current Microbiology and Applied Sciences* 4.1 (2015): 310-317.
35. Tassarà C Zaccaro., *et al.* "Biological control of lettuce white mold with *Cyanobacteria*". *International Journal of Agriculture and Biology* 10 (2008): 487-492.
36. Zulpa G., *et al.* "Bioactivity of intra and extracellular substances from *Cyanobacteria* and lactic acid bacteria on "wood blue stain" fungi". *Biological Control* 27 (2006): 345-348.
37. Mohamed El Anwar H., *et al.* "Antagonistic Activity of Some Fungi and *Cyanobacteria* Species against *Rhizoctonia solani*". *International Journal of Plant Pathology* 2 (2011): 101-114.
38. Ho SH., *et al.* "*Scenedesmus obliquus* CNW N as a potential candidate for CO₂ mitigation and biodiesel production". *Bioresource Technology* 101.22 (2010): 8725-8730.
39. Paul Abishek M., *et al.* "Algae oil: a sustainable renewable fuel of future". *Biotechnology Research International* (2014): 272814.
40. Gros M., *et al.* "Veterinary pharmaceutical and antibiotics in manure and slurry and their fate in amended agricultural soils: Findings from an experimental field site (Baix Empordà, NE Catalonia)". *Science of The Total Environment* (2019).
41. García Galán MJ., *et al.* "Use of full scale hybrid horizontal tubular photobioreactors to process agricultural runoff". *Biosystems Engineering* 166 (2018): 138-149.
42. Li X., *et al.* "Pyrene metabolites by bacterium enhancing cell division of green alga *Selenastrum capricornutum*". *Science of The Total Environment* 689 (2019): 287-294.
43. Mondal M., *et al.* "Bioremediation of Organic and Inorganic Pollutants Using Microalgae". In *New and Future Developments in Microbial Biotechnology and Bioengineering*; Elsevier: Amsterdam, The Netherlands (2019): 223-235.
44. Hall DO., *et al.* "The potential applications of *Cyanobacterial* photosynthesis for clean technologies". *Photosynthesis Research* 46 (1995): 159-160.
45. Roeselers G., *et al.* "Phototrophic biofilms and their potential applications". *Journal of Applied Phycology* 20 (2008): 227-235.
46. Amadu AA., *et al.* "A review of biopolymer (Poly β hydroxybutyrate) synthesis in microbes cultivated on wastewater". *Science of The Total Environment* (2013).